

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	22-04-2025 17:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	22-04-2025 17:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Madhya Pradesh
Department Name/विभाग का नाम	Department Of Higher Education Madhya Pradesh
Organisation Name/संगठन का नाम	Devi Ahilya Vishwavidyalaya (davv) Indore
Office Name/कार्यालय का नाम	Nalanda Campus, R. N. T., Rabindranath Tagore Marg, Chhoti Gwaltoli, Indore, Madhya Pradesh 452001
क्रेता ईमेल/Buyer Email	dregistrar.davv@mp.gov.in
Total Quantity/कुल मात्रा	45
Item Category/मद केटेगरी	Executive Table (V3) (Q2) , Revolving Chair (V4) (Q2) , Office Chair (V3) (Q2) , Modular Extendable Conference Table (V2) (Q2)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	3 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	28 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

Bid Details/बिड विवरण	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	50 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Executive Table (V3)
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	23000

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लभार्थी :

Registrar

Nalanda Campus, R. N. T., Rabindranath Tagore Marg, Chhoti Gwaltoli, Indore, Madhya Pradesh 452001,
Department of Higher Education Madhya Pradesh, Devi Ahilya Vishwavidyalaya (DAVV) Indore,
(Registrar Davv)

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
[OM_No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Executive Table (V3) (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Type of Executive Table	Executive Table, Executive Table with Pedestal / Side Storage Unit, Executive Table with Keyboard Tray, Executive Table with Keyboard Tray and Pedestal / Side Storage Unit
Table Understructure	Material Type of Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Material of Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel, Aluminium, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Availability of modesty panel	Yes, No
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Table Top Thickness (Tolerance ± 5 mm)	25 mm, 36 mm
	Length of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Depth of Table Top (Tolerance ± 20 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No
ERU	Material Type of ERU	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Width of ERU (Extended Return Unit) (Tolerance ± 20 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm
	Depth of ERU (Extended Return Unit) (Tolerance ± 20 mm)	450 mm, 600 mm, 750 mm
	Material of Door in ERU	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Acrylic, Glass, NA
Keyboard Tray	Availability of Keyboard Tray	Yes, No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Colour and Warranty	Warranty period (in number of months)	12, 24, 36, 48 Or higher (month)

Additional Specification Parameters - Executive Table (V3) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As per specification-1	Overall Size:- Length:1800mm, Width: 900mm, Height: 750mm, Top made of 35 mm thick Pre-laminated Particle Board. PVC edge beading of 2 mm edges by Through Feed Machine. Provision of Cable manager as per L.H. or R.H. side requirement. Cable duct made of 0.8 mm CRCA Sheet. Leg/Side made of 25 mm thick PLPB fitted with Aluminium section of size 60X40 with grooving. Leg/Side Base & Top plate with profile cut made of M.S. plate 44 mm width & 4 mm thk with knock down fitting arrangement.
As per specification-2	All steel components are epoxy powder coated after seven tanks anti corrosion treatment of surface. SDU with Drawer- Size: Height:750mm,Width:900mm,Depth:450mm. Body part made-up of prime quality cold rolled close annealed Sheet Use only MIG/TIG & Spot welding for fabrication. Top made of 18mm thick Pre-laminated Particle Board. Side Edges covered with PVC edge band on edge bending machine. Provision of drawer below table top with telescopic channel. Superior Quality make lock. PVC handles.
As per specification-3	Doors in cold rolled close annealed M.S. Sheet. Doors are Top hung slide on roller bearing. All steel components are epoxy powder coated followed by seven tanks anti corrosion treatment of surface

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Prajwal Khare	452001,Devi Ahilya Vishwavidyalaya, Nalanda Campus, R. N. T. Marg, Indore (M.P.),India Pin- 452 001	8	45

Revolving Chair (V4) (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back, Mid Back, Low Back
UNDERSTRUCTURE	Tilt mechanism	Only revolving without tilting mechanism, Revolving with back tilting, Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	No locking (Fixed type), Back tilt and locking, Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type, Designed with revolving type with auto return
	Pedestal base	Glass filled nylon, Mild steel powder coated, Mild steel chrome plated, Mild steel with wooden cladded, Stainless steel, Aluminium die cast, Teller base with foot ring MS powder coated, Teller base with foot ring MS chrome plated
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	1 - 6 (millimeter)
SEAT	Seat material	Moulded PU, PU foam, Mesh
	Density of PU used in seat (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in seat (mm)	<=30, >30<=40, >40<=50, >50, NA
	Minimum seat height from floor surface (mm)	<=400, >400<=500, >500
	Width of seat (mm)	<=400, >400<=450, >450<=500, >500
	Depth of seat (mm)	<=400, >400<=450, >450<=500, >500
	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather
BACKREST	Backrest type	Flexi back, Tilting type, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Adjustable lumber support, Fixed lumber support, Contoured back / Without lumber support
	Backrest base frame material	Mild steel frame, Hot pressed plywood, Wood, Injection moulded plastic, Aluminium die cast

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Density of PU used in backrest (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in backrest (mm)	<=30, >30<=40, >40<=50, >50, NA
	Width of backrest (mm)	<=400, >400<=450, >450<=500, >500
	Backrest height from the seat level	>=350<=450, >450<=550, >550
	Backrest upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
ARMREST	Armrest type and arm movement	Adjustable (up and down), Adjustable (left and right), Adjustable (Up and Down, Front and Back), Adjustable (left, right, up, down, front, back), Swivel (left, right, up, down), Adjustable (left, right, up, down, front, back, swivel), Fixed, Without armrests
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Additional Specification Parameters - Revolving Chair (V4) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As per specification-1	Total Height-1070-1190mm, Depth 685mm, Width-590mm Seat Height:425-510mm. 5-Prong nylon base for stability. Twin Wheel heavy Duty Castor for easy mobility under load. Hot pressed ply wood with steel T-Nuts for rigid fastening. Seat and back are covered with PP cover. Sturdy steel column gas lift for centre support and seat height adjustment. Telescopic ABS cover over steel column. Lockable centre tilt mechanism and with Single piece integral skin PU arm rest. Quality tapestry.
As per specification-2	High density Moulded PU cushion. Upholstery 1.5 Mtr.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Prajwal Khare	452001,Devi Ahilya Vishwavidyalaya, Nalanda Campus, R. N. T. Marg, Indore (M.P.),India Pin- 452 001	8	45

Office Chair (V3) (16 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Chair type	Non-revolving and non-tilting chair with armrest, Non-revolving and non-tilting chair without armrest
UNDERSTRUCTURE	Chair understructure type	Cantilever, Legs
	Understructure material	ERW tube conforming to IS : 1161 latest, Aluminium pipe (hollow Section) conforming to IS: 1285 latest, Stainless steel (SS 202), Stainless steel (SS 304), Stainless steel (SS 316), Mild steel, Solid wood
	The shape of tubular section of understructure	Round, Square, Rectangular, Elliptical, NA
	Section Size (Diameter/Sides) of understructure	19 mm, 22 mm, 25 mm, 30 mm, 19x19 mm, 25x25 mm, 30x30 mm, 25x15 mm, 30x12 mm, 30x15 mm, 30x20 mm, 45x19 mm, 35x15 mm, 38x20 mm, NA
	Understructure wall thickness (mm)	1, 1.2, 1.6, 2, 2.5, 3, NA for wood
	Castor	Yes, No
SEAT	Seat material	Moulded PU, PU foam, Mesh, Caned, Hot pressed plywood
	Density of PU used in seat (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in seat (mm)	<=30, >30<=40, >40<=50, >50, NA
	Minimum seat height from floor surface (mm)	<=400, >400<=500, >500
	Width of seat (mm)	<=400, >400<=450, >450
	Depth of seat (mm)	<=400, >400<=450, >450
	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather, Caned, Moulded PU
BACKREST	Backrest base frame material	Mild steel frame, Hot pressed plywood, Solid wood, Injection moulded plastic
	Backrest material	Moulded PU, PU foam, Mesh, Caned, Hot pressed plywood
	Density of PU used in backrest (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in backrest (mm)	<=30, >30<=40, >40<=50, >50, NA

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Width of backrest (mm)	<=400, >400<=450, >450
	Backrest height from the seat level	>=350<=450, >450<=550, >550
	Backrest upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather, Caned, Moulded PU
ARMREST	Armrest type	Overhanging armrest, Continuous armrest, Moulded armrest continuously fitted with seat and back, Moulded T armrest fitted with seat bottom, Moulded Armrest mounted to Frame, Without Armrest
	Armrest movement	Adjustable, Fixed, Without armrests
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Additional Specification Parameters - Office Chair (V3) (16 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As per Specification-1	Total Height-840mm, Depth 600mm, Width-575mm Seat Height:450mm. Under Structure cantilever type MS cold rolled close annealed Tube 1.6 mm thick. Hot pressed ply wood with steel T-Nuts for rigid fastening. Single piece integral skin PU arm rest. Quality tapestry. Seat and back covered with PP covers. High density PU moulded cushion. All steel components are epoxy powder coated followed by seven tanks anti corrosion treatment of surface. Upholstery 1.2 Mtr.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Prajwal Khare	452001,Devi Ahilya Vishwavidyalaya, Nalanda Campus, R. N. T. Marg, Indore (M.P.),India Pin- 452 001	16	45

Modular Extendable Conference Table (V2) (1 per seat)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Modular Ex Con Table Understructure	Understructure Material Type	Metal Understructure, Wooden/Engineer Wood Understructure
	Understructure Legs Material	Prelam Particle Board (both sides), Prelam Particle Board with Laminate on one side, Postlam Particle Board with Laminate on both side, Prelam Particle Board with Veneer on one side, Postlam Particle Board with Laminate on one side and Veneer on the other side, Postlam Particle Board with Veneer on both sides, Prelam MDF Board, Prelam MDF Board with Laminate on one side, Postlam MDF Board with Laminate on both side, Prelam MDF Board with Veneer on one side, Postlam MDF Board with Laminate on one side and Veneer on the other side, Postlam MDF Board with Veneer on both sides, Prelam Marine Ply, Prelam Marine Ply with Laminate on one side, Postlam Marine Ply with Laminate on both side, Prelam Marine Ply with Veneer on one side, Postlam Marine Ply with Laminate on one side and Veneer on the other side, Postlam Marine Ply with Veneer on both sides, Prelam MR Ply, Prelam MR Ply with Laminate on one side, Postlam MR Ply with Laminate on both side, Prelam MR Ply with Veneer on one side, Postlam MR Ply with Laminate on one side and Veneer on the other side, Postlam MR Ply with Veneer on both sides, Prelam BWP Ply, Prelam BWP Ply with Laminate on one side, Postlam BWP Ply with Laminate on both side, Prelam BWP Ply with Veneer on one side, Postlam BWP Ply with Laminate on one side and Veneer on the other side, Postlam BWP Ply with Veneer on both sides, Mild Steel Powder Coated, Mild Steel Chrome Plated, Aluminium Die Cast, Mild Steel Powder Coated with Aluminium Die Cast Connectors, Aluminium Die Cast Powder Coated with Aluminium Die Cast Connectors Or higher
	Table Understructure Modesty Panel Material Type	Metal Understructure, Wooden/Engineer Wood Understructure

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Table Understructure Modesty Panel Material	Prelam Particle Board (both sides), Postlam Particle Board with Laminate on both side, Postlam Particle Board with Laminate on one side and Veneer on the other side, Postlam Particle Board with Veneer on both sides, Prelam MDF Board, Postlam MDF Board with Laminate on both side, Postlam MDF Board with Laminate on one side and Veneer on the other side, Postlam MDF Board with Veneer on both sides, Prelam Marine Ply, Postlam Marine Ply with Laminate on both side, Postlam Marine Ply with Laminate on one side and Veneer on the other side, Postlam Marine Ply with Veneer on both sides, Prelam MR Ply, Postlam MR Ply with Laminate on both side, Postlam MR Ply with Laminate on one side and Veneer on the other side, Postlam MR Ply with Veneer on both sides, Prelam BWP Ply, Postlam BWP Ply with Laminate on both side, Postlam BWP Ply with Laminate on one side and Veneer on the other side, Postlam BWP Ply with Veneer on both sides, Mild Steel Powder Coated, Mild Steel Chrome Plated, Mild Steel Powder Coated with Aluminium Die Cast Connectors Or higher
	Modesty Panel Thickness	0.8 mm (metal), 1.0 mm (metal), 18 mm +/- 2 mm (wooden), 21 mm +/- 2 mm (wooden), 25 mm +/- 2 mm (wooden)
Table Top	Table Top Material	Prelam Particle Board (both sides), Prelam Particle Board with Laminate on one side, Postlam Particle Board with Laminate on both side, Prelam Particle Board with Veneer on one side, Postlam Particle Board with Laminate on one side and Veneer on the other side, Prelam MDF Board, Prelam MDF Board with Laminate on one side, Postlam MDF Board with Laminate on both side, Prelam MDF Board with Veneer on one side, Postlam MDF Board with Laminate on one side and Veneer on the other side, Prelam MDF with PVC Membrane on one side, Postlam MDF with PVC Membrane on one side, Postlam Marine Ply with Laminate on one side, Postlam Marine Ply with Laminate on both side, Postlam Marine Ply with Laminate on one side and Veneer on the other side, Postlam Marine Ply with Veneer on one side, Postlam MR Ply with Laminate on one side, Postlam MR Ply with Laminate on both side, Postlam MR Ply with Veneer on one side, Postlam MR Ply with Laminate on one side and Veneer on the other side, Postlam BWP Ply with Laminate on both side, Postlam BWP Ply with Veneer on one side, Postlam BWP Ply with Laminate on one side and Veneer on the other side, Glass Or higher
	Table Top Thickness (Tolerance ±5 mm)	25 mm, 36 mm, 45 mm, 50 mm, 6 mm, 8 mm, 10 mm
	Availability of Table Top Edge	Yes, No
	Material of table top Edge (Hint: Here "Edge" indicates boundary of table top)	PVC Edge Banding, Wooden, NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Colour and Warranty	Warranty period (number of months)	12, 24, 36, 48, 60 Or higher (month)

Additional Specification Parameters - Modular Extendable Conference Table (V2) (1 per seat)

Specification Parameter Name	Bid Requirement (Allowed Values)
As per specification-1	Overall Dimention:- L-4100mm, X W-1050mm, x 750 mm Ht. Top made up of 25 mm thick prelaminated particle board. Edge beading of edges by Through Feed Machine. Newly designed Quadra Leg of Size :- 725 mm Ht. with Laveller for enhance the beauty of the work space.Made up of combination of 0.6 to 1.6 mm thick high quality MS Cold Rolled Closed Annealed sheet.Having middle support of 40x40X1.2 mm thick MS CRCA Pipes.
As per specification-2	Horizontal cable tray made up of 0.8 mm cold rolled close annealed sheet curved with bottom & side pillar. With 2 Popup Box 8 Module, All steel components are epoxy powder coated after seven tanks anti corrosion treatment of surface.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Prajwal Khare	452001,Devi Ahilya Vishwavidyalaya, Nalanda Campus, R. N. T. Marg, Indore (M.P.),India Pin- 452 001	1	45

Revolving Chair (V4) (12 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Type of chair	High Back, Mid Back, Low Back

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
UNDERSTRUCTURE	Tilt mechanism	Only revolving without tilting mechanism, Revolving with back tilting, Center tilt mechanism, Knee tilt mechanism, Knee tilt Synchronic mechanism, Synchronic tilt mechanism, Tilt working with torsion bar mechanism, Active bio synchro mechanism, Front pivot synchro tilt mechanism Or higher
	Locking mechanism	No locking (Fixed type), Back tilt and locking, Upright locking, Tilt limiter, 3 Position locking, 4 Position locking, 5 Position locking, Multi position locking Or higher
	Seat depth adjustment	Adjustable, Fixed type Or higher
	Revolving mechanism	Designed with 360 degree-revolving type, Designed with revolving type with auto return
	Pedestal base	Glass filled nylon, Mild steel powder coated, Mild steel chrome plated, Mild steel with wooden cladded, Stainless steel, Aluminium die cast, Teller base with foot ring MS powder coated, Teller base with foot ring MS chrome plated
	Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair	1 - 6 (millimeter)
SEAT	Seat material	Moulded PU, PU foam, Mesh
	Density of PU used in seat (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in seat (mm)	<=30, >30<=40, >40<=50, >50, NA
	Minimum seat height from floor surface (mm)	<=400, >400<=500, >500
	Width of seat (mm)	<=400, >400<=450, >450<=500, >500
	Depth of seat (mm)	<=400, >400<=450, >450<=500, >500
	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leatherette with spacer fabric, Leather
BACKREST	Backrest type	Flexi back, Tilting type, Fixed type Or higher
	Backrest height	Fixed, Adjustable Or higher
	Backrest support type	Adjustable lumber support, Fixed lumber support, Contoured back / Without lumber support
	Backrest base frame material	Mild steel frame, Hot pressed plywood, Wood, Injection moulded plastic, Aluminium die cast
	Density of PU used in backrest (kg per cubic meter)	<=30, >30<=40, >40<=50, >50, NA
	Thickness of PU used in backrest (mm)	<=30, >30<=40, >40<=50, >50, NA
	Width of backrest (mm)	<=400, >400<=450, >450<=500, >500

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Backrest height from the seat level	>=350<=450, >450<=550, >550
	Backrest upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
ARMREST	Armrest type and arm movement	Adjustable (up and down), Adjustable (left and right), Adjustable (Up and Down, Front and Back), Adjustable (left, right, up, down, front, back), Swivel (left, right, up, down), Adjustable (left, right, up, down, front, back, swivel), Fixed, Without armrests
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher (year)

Additional Specification Parameters - Revolving Chair (V4) (12 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As per specification-1	Size: Total Height-810-895mm, Depth 685mm, Width-555mm Seat Height:425-510mm. 5-Prong nylon base for stability. Twin Wheel heavy Duty Castor for easy mobility under load. Hot pressed ply wood with steel T-Nuts for rigid fastening. Seat and back are covered with PP cover. Sturdy steel column gas lift for centre support and seat height adjustment. Telescopic ABS cover over steel column.
As per specification-2	Lockable centre tilt mechanism and with Single piece integral skin PU arm rest. Quality tapestry. High density Moulded PU cushion. Upholstery 1.2 Mtr.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Prajwal Khare	452001,Devi Ahilya Vishwavidyalaya, Nalanda Campus, R. N. T. Marg, Indore (M.P.),India Pin- 452 001	12	45

Special terms and conditions-Version:1 effective from 18-06-2024 for category Revolving Chair (V4)

1.

Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

Special terms and conditions-Version:1 effective from 25-06-2024 for category Office Chair (V3)

1.

Special Terms and Conditions

1. The colours for the Seat and Back, are specified based on the procurement done by various buyers on GeM.
2. Sellers are advised to refrain from uploading any catalogue selecting image colour other than the option chosen for the catalogue, as available in the category. Any mismanagement of this will be treated seriously as per GeM policies.
3. In case buyer requires to buy any other colour not covered in the category, same may be specified under additional parameters while creating the bid. The colours mentioned in the additional parameters by the buyer in the bid shall prevail over the colours indicated in the catalogue.
4. Sellers are advised to check the complete bid document while offering their prices.

Special terms and conditions-Version:1 effective from 22-11-2024 for category Modular Extendable Conference Table (V2)

1. Note to buyer and Sellers:

1. "Color family" is indicative in nature and to be considered for representative purposes. Seller to select the closest representative color from the given options.
2. Buyer to include details such as number of switches, count of electrical/electronic ports, type of ports, wiring requirements, wire access materials etc during procurement process.
3. Selling unit is per seat. Seller to offer prices in terms of price per seat. During procurement process, buyer to order for quantity of seats required in the product.
4. Buyer to indicate the mode of supply of modular table (Assembled ready to use, knocked kit - assembled at consignee site by seller, knocked down kit - assembled at consignee site by consignee itself) during bid creation.
5. Warranty t&c

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery

time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file](#).

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---